

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(network and internet and access and telephone and priority and session and cti-switching and nodes and client and cost and bandwidth).clm.	US-PGPUB	OR	ON	2006/01/12 11:44
L2	1725	DPN	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/12 11:44
L3	2	(709/227,207,237).ccls. and DPN and (access\$3 same priorit\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/12 11:44
L4	1	DPN and (internet near10 (access\$3 same priorit\$4))	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/12 11:44
L5	30	DPN and (internet and (access\$3 same priorit\$4))	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/12 11:44
L6	2483	dial and internet and ((access\$3 or connect\$3) same priorit\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/12 11:44
L7	720	(dial\$3 near3 connection) and internet and ((access\$3 or connect\$3) same priorit\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/12 11:44
L8	11	("5455858"   "5651056"   "5787148"   "5917904"   "6128482"   "6148197"   "6148202"   "6292833"   "6304881"   "6311282"   "6339707").PN.	USPAT	OR	OFF	2006/01/12 11:44
L9	1	"6594480".URPN.	USPAT	OR	OFF	2006/01/12 11:44
L10	562	boys near donald	USPAT	OR	OFF	2006/01/12 11:44
L11	229	(boys near donald) and internet	USPAT	OR	OFF	2006/01/12 11:44
L12	81	(boys near donald) and internet and priority	USPAT	OR	OFF	2006/01/12 11:44
L13	0	(boys near donald).in. and internet and priority	USPAT	OR	OFF	2006/01/12 11:44
L14	31	(boys near donald).in.	US-PGPUB; USPAT	OR	OFF	2006/01/12 11:44
L15	55	(dial\$3 near3 connection) and internet and ((access\$3 or connect\$3) same priorit\$4) and CTI	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/12 11:44
L16	420	(dial\$3 near3 connection) and internet and ((access\$3 or connect\$3) same priorit\$4) and bandwidth	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/12 11:44

L17	691	((dial\$3 near3 connection) and internet and priorit\$4 and bandwidth) not ((dial\$3 near3 connection) and internet and ((access\$3 or connect\$3) same priorit\$4) and bandwidth)	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/12 11:44
L18	198	((dial\$3 near3 connection) and internet and priorit\$4 and bandwidth) not ((dial\$3 near3 connection) and internet and ((access\$3 or connect\$3) same priorit\$4) and bandwidth)	USPAT	OR	OFF	2006/01/12 11:44
L19	420	(dial\$3 near3 connection) and internet and ((access\$3 or connect\$3) same priorit\$4) and bandwidth	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/01/12 11:44
L20	168	(dial\$3 near3 connection) and internet and ((access\$3 or connect\$3) same priorit\$4) and bandwidth	USPAT	OR	OFF	2006/01/12 11:44
L21	20	(dial\$3 near3 connection) and internet and priorit\$4 and ((select\$3 or choos\$3) near5 bandwidth)	USPAT	OR	OFF	2006/01/12 11:44
L22	125	(dial\$3 near3 connection) and internet and ((access\$3 or connect\$3) same priorit\$4) and bandwidth and COST	USPAT	OR	OFF	2006/01/12 11:44
L23	125	(dial\$3 near3 connection) and internet and ((access\$3 or connect\$3) same priorit\$4) and bandwidth and "COST"	USPAT	OR	OFF	2006/01/12 11:44
L24	0	((cti cti-switch) with (priority-based)) and (monitor\$3 with (state\$1 near5 (connected adj session\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L25	0	((cti cti-switch) with (priority-based)) and (monitor\$3 with (state\$1 near5 ((connected online on-line) adj session\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L26	0	((cti cti-switch) with (priority)) and (monitor\$3 with (state\$1 near5 ((connected online on-line) adj session\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L27	0	((cti cti-switch) with (priorit\$3)) and (monitor\$3 with (state\$1 near5 ((connected online on-line) adj session\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44

L28	1	((cti cti-switch) with (priorit\$3)) and (monitor\$3 with (state\$1 near5 session\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L29	3	((cti cti-switch switch\$3) with (priorit\$3)) and (monitor\$3 with (state\$1 near5 session\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L30	5	("5790553"   "6333931"   "6339594"   "6356546"   "6373838").PN.	USPAT	OR	OFF	2006/01/12 11:44
L31	16	(709/227,207,237).ccls. and (monitor\$3 with (state\$1 near5 session\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L32	16	(370/217,352,401,410,467,496).ccls. and (monitor\$3 with (state\$1 near5 session\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L33	0	(370/217,352,401,410,467,496).ccls. and (monitor\$3 with (state\$1 near5 session\$1)) and (access near5 number%1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L34	0	(370/217,352,401,410,467,496).ccls. and (monitor\$3 with (session\$1)) and (access near5 number%1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L35	73	(370/217,352,401,410,467,496).ccls. and (monitor\$3 with (session\$1)) and (access near5 number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L36	4	(370/217,352,401,410,467,496).ccls. and (monitor\$3 with (state\$1 near5 session\$1)) and (access near5 number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L37	6	(370/217,352,401,410,467,496).ccls. and (monitor\$3 with (state\$1 near5 session\$1)) and (priorit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L38	92	(370/217,352,401,410,467,496).ccls. and (monitor\$3 with (state\$1)) and (access same priorit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L39	911	((dial\$5 access) near5 number\$1) with (internet adj (session connection access\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44

L40	0	((dial\$5 access) near5 number\$1) with (internet adj (session connection access\$2)) and (((list adj of) near5 (phone number\$1)) same (choos\$3 select\$3 pick\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L41	56	((dial\$5 access) near5 number\$1) with (internet adj (session connection access\$2)) and ((list\$1 near5 (phone number\$1)) same (choos\$3 select\$3 pick\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L42	9	("5918019"   "6081518"   "6144727"   "6147987"   "6215776"   "6233232"   "6278705"   "6282281"   "6295292").PN.	USPAT	OR	OFF	2006/01/12 11:44
L43	2486	((voice near over near IP) VOI) and priorit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L44	2423	(voice near over near IP) and priorit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L45	510	(voice near over near IP) and (priorit\$3 with (bandwidth cost availabilit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L46	317	(voice near over near IP) and (priorit\$3 with (bandwidth cost availabilit\$3)) and ((lower higher) near5 priorit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L47	72	(voice near over near IP) and (priorit\$3 with (bandwidth cost availabilit\$3)) and (switch\$3 same ((lower higher) near5 priorit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L48	119	(voIP) and (priorit\$3 with (bandwidth cost availab\$7)) and (switch\$3 same ((low\$2 high\$2) near5 priorit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L49	72	(voice near over near IP) and (priorit\$3 with (bandwidth cost availabilit\$3)) and (switch\$3 same ((lower higher) near5 priorit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L50	65	(voIP) and (priorit\$3 with (bandwidth cost availab\$7)) and (switch\$3 same ((low\$2 high\$2) near5 priorit\$3)) not L49	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L51	181	(voIP) and (priorit\$3 with (bandwidth cost availab\$7)) and (switch\$3 same priorit\$3) not L50	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44

L52	8	L51 and CTI\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44
L53	94	L51 and PSTN	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/12 11:44

## Search Results

## BROWSE

## SEARCH

## IEEE XPLORE GUIDE

## SUPPORT

Results for "((switch\* and telephone &lt;near&gt; number\* and internet and access &lt;near&gt; number\*)&lt;in&gt;..."

Your search matched 7 of 1297674 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



## » Search Options

[View Session History](#)
[New Search](#)

## Modify Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

## Select Article Information

- ☐ 1. **TCP for high performance in hybrid fiber coaxial broad-band access networks**  
Cohen, R.; Ramanathan, S.;  
Networking, IEEE/ACM Transactions on  
Volume 6, Issue 1, Feb. 1998 Page(s):15 - 29  
Digital Object Identifier 10.1109/90.663937  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(280 KB\)](#) IEEE JNL
- ☐ 2. **Internet implications of telephone access**  
Snow, A.P.;  
Computer  
Volume 32, Issue 9, Sept. 1999 Page(s):108 - 110  
Digital Object Identifier 10.1109/2.789754  
[AbstractPlus](#) | Full Text: [PDF\(276 KB\)](#) IEEE JNL
- ☐ 3. **A broadband wireless access network based on mesh-connected free-space optical links**  
Acampora, A.S.; Krishnamurthy, S.V.;  
Personal Communications, IEEE [see also IEEE Wireless Communications]  
Volume 6, Issue 5, Oct. 1999 Page(s):62 - 65  
Digital Object Identifier 10.1109/98.799621  
[AbstractPlus](#) | Full Text: [PDF\(380 KB\)](#) IEEE JNL
- ☐ 4. **A wireless local loop system based on wideband CDMA technology**  
Young Ki Yoon; Ulema, M.;  
Communications Magazine, IEEE  
Volume 37, Issue 10, Oct. 1999 Page(s):128 - 135  
Digital Object Identifier 10.1109/35.795603  
[AbstractPlus](#) | Full Text: [PDF\(696 KB\)](#) IEEE JNL
- ☐ 5. **Digital TV in the convergent environment**  
Sandbank, C.P.;  
Computer Graphics and Applications, IEEE  
Volume 21, Issue 1, Jan.-Feb. 2001 Page(s):32 - 36  
Digital Object Identifier 10.1109/38.895128  
[AbstractPlus](#) | Full Text: [PDF\(696 KB\)](#) IEEE JNL
- ☐ 6. **Integrating Internet telephony services**  
Wenyu Jiang; Lennox, J.; Narayanan, S.; Schulzrinne, H.; Singh, K.; Xiaotao Wu;  
Internet Computing, IEEE  
Volume 6, Issue 3, May-June 2002 Page(s):64 - 72  
Digital Object Identifier 10.1109/MIC.2002.1003133  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(445 KB\)](#) IEEE JNL
- ☐ 7. **RTP payload multiplexing between IP telephony gateways**

Subbiah, B.; Sengodan, S.; Rajahalme, J.;  
Global Telecommunications Conference, 1999. GLOBECOM '99  
Volume 2, 1999 Page(s):1121 - 1127 vol.2  
Digital Object Identifier 10.1109/GLOCOM.1999.829948  
[AbstractPlus](#) | Full Text: [PDF](#)(480 KB) [IEEE CNF](#)

[View Selected Items](#)

Indexed by  
 inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved



Search Results

BROWSE

SEARCH


IEEE XPLORE GUIDE

SUPPORT

Results for "(((switch\* and access <near> number\*)<in>metadata))<and>(internet and telephone&l..."

Your search matched 10 of 810 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)

[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information

- ☐ 1. **Internet implications of telephone access**  
Snow, A.P.;  
Computer  
Volume 32, Issue 9, Sept. 1999 Page(s):108 - 110  
Digital Object Identifier 10.1109/2.789754  
[AbstractPlus](#) | Full Text: [PDF](#)(276 KB) IEEE JNL
- ☐ 2. **Integrating Internet telephony services**  
Wenyu Jiang; Lennox, J.; Narayanan, S.; Schulzrinne, H.; Singh, K.; Xiaotao Wu;  
Internet Computing, IEEE  
Volume 6, Issue 3, May-June 2002 Page(s):64 - 72  
Digital Object Identifier 10.1109/MIC.2002.1003133  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(445 KB) IEEE JNL
- ☐ 3. **The development of personal communication services under the auspices of existing network technologies**  
Khan, M.M.;  
Communications Magazine, IEEE  
Volume 35, Issue 3, March 1997 Page(s):78 - 82  
Digital Object Identifier 10.1109/35.581310  
[AbstractPlus](#) | Full Text: [PDF](#)(788 KB) IEEE JNL
- ☐ 4. **Digital TV in the convergent environment**  
Sandbank, C.P.;  
Computer Graphics and Applications, IEEE  
Volume 21, Issue 1, Jan.-Feb. 2001 Page(s):32 - 36  
Digital Object Identifier 10.1109/38.895128  
[AbstractPlus](#) | Full Text: [PDF](#)(696 KB) IEEE JNL
- ☐ 5. **Availability analysis of load-sharing systems**  
Chun Kin Chan;  
Reliability and Maintainability Symposium, 2003. Annual  
27-30 Jan. 2003 Page(s):551 - 555  
[AbstractPlus](#) | Full Text: [PDF](#)(365 KB) IEEE CNF
- ☐ 6. **Reordering soft handoff frames to minimise delay in CDMA cellular networks**  
Vukovic, I.N.; Pazhyannur, E.S.; Ali, I.; Fleming, P.J.;  
Communications, 2002. ICC 2002. IEEE International Conference on  
Volume 5, 28 April-2 May 2002 Page(s):3227 - 3233 vol.5  
Digital Object Identifier 10.1109/ICC.2002.997431  
[AbstractPlus](#) | Full Text: [PDF](#)(440 KB) IEEE CNF
- ☐ 7. **TCP for high performance in hybrid fiber coaxial broad-band access networks**



Cohen, R.; Ramanathan, S.;  
Networking, IEEE/ACM Transactions on  
Volume 6, Issue 1, Feb. 1998 Page(s):15 - 29  
Digital Object Identifier 10.1109/90.663937

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(280 KB) IEEE JNL

☐ **8. A wireless local loop system based on wideband CDMA technology**

Young Ki Yoon; Ulema, M.;  
Communications Magazine, IEEE  
Volume 37, Issue 10, Oct. 1999 Page(s):128 - 135  
Digital Object Identifier 10.1109/35.795603

[AbstractPlus](#) | Full Text: [PDF](#)(696 KB) IEEE JNL

☐ **9. A broadband wireless access network based on mesh-connected free-space optical links**

Acampora, A.S.; Krishnamurthy, S.V.;  
Personal Communications, IEEE [see also IEEE Wireless Communications]  
Volume 6, Issue 5, Oct. 1999 Page(s):62 - 65  
Digital Object Identifier 10.1109/98.799621

[AbstractPlus](#) | Full Text: [PDF](#)(380 KB) IEEE JNL

☐ **10. RTP payload multiplexing between IP telephony gateways**

Subbiah, B.; Sengodan, S.; Rajahalme, J.;  
Global Telecommunications Conference, 1999. GLOBECOM '99  
Volume 2, 1999 Page(s):1121 - 1127 vol.2  
Digital Object Identifier 10.1109/GLOCOM.1999.829948

[AbstractPlus](#) | Full Text: [PDF](#)(480 KB) IEEE CNF

[View Selected Items](#)


[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserve

Results for "((dial-up and internet and access and number)&lt;in&gt;metadata)"

Your search matched 10 of 1297674 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



## » Search Options

[View Session History](#)
[New Search](#)

## Modify Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

## Select Article Information

- ☐ 1. **Dial-up Internet access service system with automatic billing mechanism**  
Myung Ah Park; Siong Hun Yi; You Hyeon Jeong;  
Information, Communications and Signal Processing, 1997. ICICS., Proceedings of 1997 International Conference on  
Volume 1, 9-12 Sept. 1997 Page(s):148 - 151 vol.1  
Digital Object Identifier 10.1109/ICICS.1997.647076  
[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE CNF
- ☐ 2. **A teletraffic analysis of dial-up connections over PSTN**  
Garoppo, R.G.; Giordano, S.; Vaccaro, A.;  
Global Telecommunications Conference, 1998. GLOBECOM 98. The Bridge to Global Integration. IEEE  
Volume 2, 8-12 Nov. 1998 Page(s):1190 - 1195 vol.2  
Digital Object Identifier 10.1109/GLOCOM.1998.776911  
[AbstractPlus](#) | Full Text: [PDF](#)(300 KB) IEEE CNF
- ☐ 3. **Performance evaluation of the Bluetooth-based public Internet access point**  
Yujin Lim; Jesung Kim; Sang Lyul Min; Joong Soo Ma;  
Information Networking, 2001. Proceedings. 15th International Conference on  
31 Jan.-2 Feb. 2001 Page(s):643 - 648  
Digital Object Identifier 10.1109/ICOIN.2001.905527  
[AbstractPlus](#) | Full Text: [PDF](#)(540 KB) IEEE CNF
- ☐ 4. **AAA protocols: authentication, authorization, and accounting for the Internet**  
Metz, C.;  
Internet Computing, IEEE  
Volume 3, Issue 6, Nov.-Dec. 1999 Page(s):75 - 79  
Digital Object Identifier 10.1109/4236.807015  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(264 KB) IEEE JNL
- ☐ 5. **Real-time audio and video broadcasting of IEEE GLOBECOM '96 over the Internet using new software**  
Jinzenji, H.; Hagishima, K.;  
Communications Magazine, IEEE  
Volume 35, Issue 4, April 1997 Page(s):34 - 38  
Digital Object Identifier 10.1109/35.570717  
[AbstractPlus](#) | Full Text: [PDF](#)(1580 KB) IEEE JNL
- ☐ 6. **A multicast push caching system over a UDLR satellite link**  
Basu, P.; Kanchanasut, K.;  
Applications and the Internet Workshops, 2003. Proceedings. 2003 Symposium on  
27-31 Jan. 2003 Page(s):46 - 49  
[AbstractPlus](#) | Full Text: [PDF](#)(194 KB) IEEE CNF

- ☐ **7. PT Telkom results on field tests of asymmetric digital subscriber line-lite technology via ATM networks**  
Samosir, B.H.;  
ATM (ICATM 2001) and High Speed Intelligent Internet Symposium, 2001. Joint 4th IEEE International Conference on  
22-25 April 2001 Page(s):227 - 230  
Digital Object Identifier 10.1109/ICATM.2001.932091  
[AbstractPlus](#) | Full Text: [PDF](#)(172 KB) **IEEE CNF**
- ☐ **8. On the effectiveness of DNS-based server selection**  
Shaikh, A.; Tewari, R.; Agrawal, M.;  
INFOCOM 2001. Twentieth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE  
Volume 3, 22-26 April 2001 Page(s):1801 - 1810 vol.3  
Digital Object Identifier 10.1109/INFCOM.2001.916678  
[AbstractPlus](#) | Full Text: [PDF](#)(156 KB) **IEEE CNF**
- ☐ **9. A passive method for estimating end-to-end TCP packet loss**  
Benko, P.; Veres, A.;  
Global Telecommunications Conference, 2002. GLOBECOM '02. IEEE  
Volume 3, 17-21 Nov. 2002 Page(s):2609 - 2613 vol.3  
Digital Object Identifier 10.1109/GLOCOM.2002.1189102  
[AbstractPlus](#) | Full Text: [PDF](#)(413 KB) **IEEE CNF**
- ☐ **10. Performance evaluation of Web browsing over hybrid fiber coaxial broad-band networks**  
Chit, I.T.M.; Patnam, M.K.; Chan, K.T.; Fook, F.S.;  
Networks, 1999. (ICON '99) Proceedings. IEEE International Conference on  
28 Sept.-1 Oct. 1999 Page(s):372 - 382  
Digital Object Identifier 10.1109/ICON.1999.796200  
[AbstractPlus](#) | Full Text: [PDF](#)(180 KB) **IEEE CNF**

[View Selected Items](#)

Thu, 12 Jan 2006, 11:35:40 AM EST

Edit an existing query or compose a new query in the Search Query Display.

### Search Query Display




Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

### Recent Search Queries

Result

<a href="#">#1</a>	((switch* and telephone <near> number* and internet and access <near> number* and dial-up)<in>metadata)	
<a href="#">#2</a>	((switch* and telephone <near> number* and internet and access <near> number*)<in>metadata)	
<a href="#">#3</a>	((switch* and telephone <near> number* and internet and access <near> number*)<in>metadata)	
<a href="#">#4</a>	((switch* and access <near> number*)<in>metadata)	81
<a href="#">#5</a>	(((((switch* and access <near> number*)<in>metadata))<AND>(internet and telephone<in>metadata))	1
<a href="#">#6</a>	(((((switch* and access <near> number*)<in>metadata))<AND>(internet and telephone<in>metadata))	1
<a href="#">#7</a>	(((((switch* and access <near> number*)<in>metadata))<AND>(internet and telephone<in>metadata))	1
<a href="#">#8</a>	((switch* and dial-up and access <near> number*)<in>metadata)	
<a href="#">#9</a>	((switch* and dial and access <near> number*)<in>metadata)	
<a href="#">#10</a>	((switch* and dial and access <near> number*)<in>metadata)	
<a href="#">#11</a>	((dial-up and internet and access and number)<in>metadata)	1
<a href="#">#12</a>	((dial-up and internet and access and number)<in>metadata)	1
<a href="#">#13</a>	((dial-up and internet and access and number)<in>metadata)	1

Terms used

dial up internet access number switching telephone priority long distance


Found 15 of 169,166

Sort results by

relevance

Display results

expanded form

 [Save results to a Binder](#)
 [Search Tips](#)
☐ Open results in a new window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 15 of 15

Relevance scale 

### 1 [Internet pricing vs. reality](#)



A. Michael Noll

August 1997 **Communications of the ACM**, Volume 40 Issue 8

Publisher: ACM Press

Full text available:  [pdf\(296.54 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)


### 2 [Design considerations for usage accounting and feedback in internetworks](#)



Deborah Estrin, Lixia Zhang

October 1990 **ACM SIGCOMM Computer Communication Review**, Volume 20 Issue 5

Publisher: ACM Press

Full text available:  [pdf\(1.09 MB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)


This paper investigates the design of resource usage feedback mechanisms for packet switched internetworks. After a discussion of the *motivations* for feedback mechanisms, *feedback channels* and *policies* are described. We then outline issues raised by the design of *mechanisms* to realize these policies, including: network service disciplines, accounting granularity, metrics, authentication, and coordination among transit carriers. Usage-based charging is only one means of ...


### 3 [4.2BSD and 4.3BSD as examples of the UNIX system](#)



John S. Quarterman, Abraham Silberschatz, James L. Peterson

December 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(4.07 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)


This paper presents an in-depth examination of the 4.2 Berkeley Software Distribution, Virtual VAX-11 Version (4.2BSD), which is a version of the UNIX Time-Sharing System. There are notes throughout on 4.3BSD, the forthcoming system from the University of California at Berkeley. We trace the historical development of the UNIX system from its conception in 1969 until today, and describe the design principles that have guided this development. We then present the internal data structures and ...

### 4 [Xunet 2: lessons from an early wide-area ATM testbed](#)



Charles R. Kalmanek, Srinivasan Keshav, William T. Marshall, Samuel P. Morgan, Robert C. Restrict

February 1997 **IEEE/ACM Transactions on Networking (TON)**, Volume 5 Issue 1

Publisher: IEEE Press

Full text available:  [pdf\(231.69 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)


**Keywords:** asynchronous transfer mode, available bit rate, constant bit rate, variable bit rate


5 The fuzzball



D. L. Mills

August 1988 **ACM SIGCOMM Computer Communication Review , Symposium proceedings on Communications architectures and protocols SIGCOMM '88**, Volume 18 Issue 4

**Publisher:** ACM Press

Full text available:  pdf(1.09 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Fuzzball is an operating system and applications library designed for the PDP11 family of computers. It was intended as a development platform and research pipewrench for the DARPA/NSF Internet, but has occasionally escaped to earn revenue in commercial service. It was designed, implemented and evolved over a seventeen-year era spanning the development of the ARPANET and TCP/IP protocol suites and can today be found at Internet outposts from Hawaii to Italy standing watch for adventurous ...

6 Improving and managing multimedia performance over TCP-IP nets



Nathan J. Muller

December 1998 **International Journal of Network Management**, Volume 8 Issue 6

**Publisher:** John Wiley & Sons, Inc.

Full text available:  pdf(338.34 KB)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

The TCP-IP-based Internet and, consequently corporate Intranets, were not designed for multimedia traffic. This article discusses the several ways of improving multimedia performance, finding that data compression techniques are no longer the most important factor. © 1998 John Wiley & Sons, Ltd.

7 Managing transient internetwork links in the Xerox internet



Siranush Radicati

August 1984 **ACM Transactions on Information Systems (TOIS)**, Volume 2 Issue 3

**Publisher:** ACM Press

Full text available:  pdf(802.98 KB)

Additional Information: [full citation](#), [references](#), [index terms](#), [review](#)


8 Predictability requirements of a soft modem



Michael B. Jones, Stefan Saroiu

June 2001 **ACM SIGMETRICS Performance Evaluation Review , Proceedings of the 2001 ACM SIGMETRICS international conference on Measurement and modeling of computer systems SIGMETRICS '01**, Volume 29 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(1.53 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

*Soft Modems* use the main processor to execute modem functions traditionally performed by hardware on the modem card. To function correctly, soft modems require that ongoing signal processing computations be performed on the host CPU in a timely manner. Thus, signal processing is a commonly occurring background real-time application---one running on systems that were not designed to support predictable real-time execution. This paper presents a detailed study of the performance characteristics ...

**Keywords:** CPU scheduling, Rialto, Rialto/NT, Windows 2000, Windows NT, open real-time system, real-time, signal processing, soft devices, soft modem

9 Analytical comparison of different GPRS introduction strategies



M. Ermel, K. Begain, T. Müller, J. Schüler, M. Schweigel

August 2000



**Proceedings of the 3rd ACM international workshop on Modeling,  
analysis and simulation of wireless and mobile systems**

**Publisher:** ACM Press

Full text available: [pdf\(731.68 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The ongoing introduction of GPRS services in existing GSM networks by mobile network providers raises the question of the best strategy to partition the available cell capacity. The paper describes three different strategies — complete partitioning, partial sharing and complete sharing. An analytical call/burst level model of one cell of a homogeneous multiservice GSM/GPRS network is used to investigate these strategies with respect to important performance measures like new a ...



**10 Chat II: How push-to-talk makes talk less pushy**



Allison Woodruff, Paul M. Aoki

November 2003 **Proceedings of the 2003 international ACM SIGGROUP conference on Supporting group work**

**Publisher:** ACM Press

Full text available: [pdf\(356.48 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents an exploratory study of college-age students using two-way, push-to-talk cellular radios. We describe the observed and reported use of cellular radio by the participants. We discuss how the half-duplex, lightweight cellular radio communication was associated with reduced interactional commitment, which meant the cellular radios could be used for a wide range of conversation styles. One such style, intermittent conversation, is characterized by response delays. Intermittent co ...

**Keywords:** cellular radio, instant messaging, two-way radio, walkie talkies



**11 Open base situation transport (OBAST)architecture**



Phillip D. Neumiller, Peter L. Lei, Michael L. Needham

July 2000 **ACM SIGMOBILE Mobile Computing and Communications Review**, Volume 4 Issue 3

**Publisher:** ACM Press

Full text available: [pdf\(1.08 MB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

This paper outlines the requirements for a set of open IP based protocols enabling seamless mobility across diverse radio access networks. We begin by stating some architectural tenets upon which the requirements for the OBAST protocol set are based. Furthermore, what the authors currently believe to be the eventual desirable wireless Internet architecture is described. This architecture is shown to enable a common protocol set that we refer to as the open base station transport (OBAST) protocol ...



**12 The United States vs. Craig Neidorf: A debate on electronic publishing, Constitutional rights and hacking**



Dorothy E. Denning

March 1991 **Communications of the ACM**, Volume 34 Issue 3

**Publisher:** ACM Press

Full text available: [pdf\(2.47 MB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#), [review](#)



**13 Industry track papers and presentations: product lines: Experiences in assessing product family software architecture for evolution**



Alessandro Maccari

May 2002 **Proceedings of the 24th International Conference on Software Engineering**

**Publisher:** ACM Press

Full text available: [pdf\(848.73 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Software architecture assessments are a means to detect architectural problems before the bulk of development work is done. They facilitate planning of improvement activities

early in the lifecycle and allow limiting the changes on any existing software. This is particularly beneficial when the architecture has been planned to (or already does) support a whole product family, or a set of products that share common requirements, architecture, components or code. As the family requirements evolve ...

14 Creating a campus network without funding or a campus strategic networking plan...



no kidding

Keith R. Nelson, Joyce L. Capen

October 1994 **Proceedings of the 22nd annual ACM SIGUCCS conference on User services**

**Publisher:** ACM Press

Full text available:  [pdf\(752.35 KB\)](#) Additional Information: [full citation](#), [index terms](#)


15 Identifying enterprise network vulnerabilities



Judith M. Myerson

April 2002 **International Journal of Network Management**, Volume 12 Issue 3

**Publisher:** John Wiley & Sons, Inc.

Full text available:  [pdf\(102.90 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

Results 1 - 15 of 15

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)